

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification⁶: H04R 7/06, 9/06, G06F 1/16</p>	<p>A1</p>	<p>(11) International Publication Number: WO 99/65274 (43) International Publication Date: 16 December 1999 (16.12.99)</p>
<p>(21) International Application Number: PCT/GB99/01748 (22) International Filing Date: 3 June 1999 (03.06.99) (30) Priority Data: 9812225.2 5 June 1998 (05.06.98) GB (71) Applicant (for all designated States except US): NEW TRANSDUCERS LIMITED [GB/GB]; 1xworth House, 37 1xworth Place, London SW3 3QH (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): BANK, Graham [GB/GB]; 1 Boartree Way, Huntingdon, Cambridgeshire PE18 6GL (GB). (74) Agent: MAGUIRE BOSS; 5 Crown Street, St. Ives, Cambridgeshire PE17 4EB (GB).</p>	<p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</p>	
<p>(54) Title: RESONANT PANEL-FORM ACOUSTIC DEVICES</p> <div data-bbox="438 1123 1079 1354"> </div> <p>(57) Abstract</p> <p>A resonant panel-form acoustic device comprising a resonant panel-form member and a vibration exciter mounted to the panel-form member to apply bending wave energy thereto to cause the member to resonate to produce an acoustic output, wherein the vibration exciter is adapted to act as a carrier for the panel-form member.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Salor Lucia	RU	Russian Federation		
CZ	Czech Republic	IJ	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

WO 99/65274

PCT/GB99/01748

5 RESONANT PANEL-FORM ACOUSTIC DEVICES

10 DESCRIPTION

15 FIELD OF THE INVENTION

This invention relates to acoustic devices and more particularly to resonant panel-form acoustic devices such as loudspeakers.

BACKGROUND TO THE INVENTION

20 International patent application WO97/09842 describes resonant panel-form acoustic devices now known as 'distributed mode' or 'DM' devices including loudspeakers.

Particularly successful types and specific structures of transducers or vibration exciters for applying bending
25 wave energy to panel-form members to cause resonance include those of so-called inertial nature.

It has been of particular practical value in prior distributed mode loudspeaker applications for the vibration

WO 99/65274

PCT/GB99/01748

2

exciters to be attached directly to loudspeaker panel members without need for additional support for the exciters. This practice is logical as well as successful in cases where the exciter mass is less than the mass of the panel member, including where the panel member is supported by local framing or some equivalent suspension. Also, such panel-suspended exciters have potential for beneficial resonance according to a second order characteristic effective to extend the low frequency response. A very different situation arises for much smaller distributed mode panel members, where a point can be reached at which panel member mass is of the same order or even less than that of the mass of the exciter, perhaps especially for electro-dynamic type exciters which have significant mass due to the magnet and magnet poles. Considerations of panel strength, resistance to impact shock etc. become important; and it is an object of this invention to provide a novel and advantageous solution.

SUMMARY OF THE INVENTION

According to the invention a resonant panel-form acoustic device comprises a resonant panel-form member and a vibration exciter mounted to the panel-form member to apply bending wave energy thereto to cause the member to resonate to produce an acoustic output, wherein the vibration exciter is adapted to act as a carrier for the panel-form member. In this way the vibration exciter acts as a mount for the panel-form member, rather than the exciter being mounted on the panel-form member as was

WO 99/65274

PCT/GB99/01748

3

previously proposed. The vibration exciter may in turn be mounted on a host system, e.g. a loudspeaker stand or bracket or electronic apparatus such as a laptop computer.

In one embodiment, a small light distributed mode panel member is effectively free other than for its association with the vibration exciter which constitutes the means of mounting/attachment of the complete loudspeaker assembly.

Interestingly, for such a fixed or grounded vibration exciter, the high-pass function will now be first order, typically with a roll-off at about 6dB/octave; and the panel member design in respect of local acoustic loading and lowest bending frequency can usefully be adjusted to take this into account. There is, of course, clear benefit where low frequency roll-off of about 6dB/octave is a design objective.

Although the invention provides that the structure of the vibration exciter affords basic support and stability for a resonant panel member, particularly for light-weight panel members, additional framing and/or suspension of the panel member may be provided if appropriate and desired, whether for stability or for defining/controlling desired vibration conditions in/for the panel member, or both, perhaps particularly in or as to contributions of peripheral/marginal regions, including from partial up to substantially full sealing of the panel member into a baffle. The availability of additional acoustic control by separating the front acoustic output from the rear acoustic

WO 99/65274

PCT/GB99/01748

4

output of the panel may be beneficial in certain applications.

BRIEF INTRODUCTION TO THE DRAWINGS

Exemplary specific implementation will now be described with reference to the accompanying diagrammatic drawings, in which:

Figures 1A,B and C are respectively a rear plan, and a partial sectional side view of a prior art resonant panel-form loudspeaker together with a graphical idealised acoustic output/response curve, and

Figures 2A to C correspond respectively to those of Figures 1A to 1C and show a resonant panel-form loudspeaker embodying the present invention.

DESCRIPTION OF ILLUSTRATED EMBODIMENTS

Referring first to Figures 1A-C, a prior art panel-form distributed mode loudspeaker 10 comprises a suitable resonant panel member 11 mounted at its edges by means of resilient suspension members 12A to D in a frame 19. An inertial electrodynamic vibration exciter 13 is shown mounted and supported wholly on the panel member 11 to excite the panel into resonance to produce an acoustic output.

Specifically, the exciter 13 comprises a moving coil 15 rigidly connected at connection 14 to the panel 11. The moving coil 15 is arranged in the annular gap 17A of a magnet assembly 16,17 comprising a magnet 16 sandwiched between a pair of pole-pieces 17 and having suitably compliant suspension 18 connected between the magnet

WO 99/65274

PCT/GB99/01748

5

assembly and the panel member 11. In general, the panel member 11 will have more, often significantly more, mass than the exciter 13, particularly the magnet assembly 16,17 as the highest mass component thereof. Indicated frequency-5 dependent roll-off of loudspeaker output A is at least 12dB/octave below the region (Fe) of exciter resonance. Such an arrangement is disclosed in WO97/09842.

Turning to Figures 2A to C, a panel-form resonant loudspeaker 20 embodying this invention comprises a 10 suitable resonant panel member 21 shown with a generally similar relationship with a vibration exciter 23 generally in accordance with the teaching in WO97/09842 and reference numerals 24 to 28 generally correspond to reference numerals 14 to 18 of Figure 1B.

15 In this case, however, the panel member 21 is of the same order or even less mass than the exciter 23 or highest mass part(s) thereof, namely the magnet assembly comprising the magnet 26 and associated pole-pieces 27. The magnet assembly 26,27 is arranged actually to carry the panel 20 member 21, rather than vice versa as is the case in the prior art arrangement. Moreover, the magnet assembly 26,27 is the means by which the loudspeaker 20 as a whole is mounted, see bond 29 between a rear face 31 of the exciter magnet assembly and a mounting structure 30 to support the 25 loudspeaker in position on a host apparatus, e.g. a loudspeaker stand or the structure or casing of electronic apparatus.

As illustrated, and in complete contrast to practice

WO 99/65274

PCT/GB99/01748

6

hitherto, the panel member 21 is effectively free, i.e. not as such suspended to any support structure other than the exciter. If desired, however, soft resilient members 22 may be connected between the edges of the panel member 21 and the mounting structure 30 to damp excessive movements of the panel edges in use.

By way of specific example, a distributed mode panel member 21 measures 2mm in thickness and approximately 2.5 x 3cm in area, and weighs only a few grams (perhaps as little as two grams or even less) compared with an electro-dynamic exciter 23 at up to about 15 grams or more. A serviceable and reliable loudspeaker assembly was designed by adhesively fixing the back face 31 of the exciter magnet assembly to a suitable area of the host apparatus (in this case the interior face of the lid of a laptop computer) and allowing the panel to operate freely on the coil suspension of the exciter. The loudspeaker was obscured behind a grille in the lid.

The damping and related material properties of this DM panel can particularly suit use as described, its smallness giving rise to boundary conditions in the exciter region which provide some modal termination which by prior practice would have had to be otherwise provided-for at peripheral regions of a mounted or suspended panel.

It is, of course, feasible for some degree of ancillary mounting and/or other association of the panel member 21 with other damping and/or framing means, including in association with a baffle.

WO 99/65274

PCT/GB99/01748

7

As shown in Figure 2C, it is particularly noteworthy that low frequency roll-off is now much more gradual, specifically at about 6dB/octave.

WO 99/65274

PCT/GB99/01748

8

CLAIMS

1. A resonant panel-form acoustic device comprising a resonant panel-form member and a vibration exciter mounted to the panel-form member to apply bending wave energy
5 thereto to cause the member to resonate to produce an acoustic output, wherein the vibration exciter is adapted to act as a carrier for the panel-form member.
2. A resonant panel-form acoustic device according to claim 1, wherein the vibration exciter is adapted for
10 mounting on a host system.
3. A resonant panel-form acoustic device according to claim 1 or claim 2, comprising a moving coil electro-
dynamic vibration exciter having a magnet assembly and a voice coil movable with respect to the magnet assembly in
15 response to an applied electrical signal, the resonant panel-form member being rigidly coupled directly to the voice coil, and comprising resilient suspension means coupled between the panel-form member and the magnet assembly to support the panel-form member.
- 20 4. A resonant panel-form acoustic device according to claim 3, wherein the magnet assembly has a face adapted to be rigidly fixed to a host system.
5. A resonant panel-form acoustic device according to any one of claims 2 to 4, comprising damping means applied
25 between the panel-form member and the host system.
6. A loudspeaker comprising a resonant panel-form acoustic device as claimed in any preceding claim.
7. Host system comprising a loudspeaker as claimed in

WO 99/65274

PCT/GB99/01748




9

claim 6.

8. A laptop computer comprising a loudspeaker as claimed
in claim 6.

WO 99/65274

PCT/GB99/01748



SUBSTITUTE SHEET (RULE 26)

WO 99/65274

PCT/GB99/01748

2/2




FIG. 2A




FIG. 2B




FIG. 2C

SUBSTITUTE SHEET (RULE 26)

BEST AVAILABLE COPY

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/GB 99/01748

A. CLASSIFICATION OF SUBJECT MATTER		
IPC 6	H04R7/06	H04R9/06 G06F1/16
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
IPC 6 H04R		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 3 347 335 A (WATTERS ET AL.) 17 October 1967 (1967-10-17) page 3, line 63 -page 4, line 62; figures 2,5-7	1
A	WO 97 09842 A (AZIMA HENRY ;HARRIS NEIL (GB); COLLOMS MARTIN (GB); VERITY GROUP, P) 13 March 1997 (1997-03-13) cited in the application figures 11B,29	2-8
A	WO 92 03024 A (SECR DEFENCE BRIT) 20 February 1992 (1992-02-20) page 5, line 4 - line 21; figure 1	1
A	US 3 247 925 A (WARNAKA) 26 April 1966 (1966-04-26) column 3, line 5 - line 27; figures	1
<input type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "Z" document member of the same patent family		
Date of the actual completion of the international search		Date of mailing of the international search report
27 October 1999		05/11/1999
Name and mailing address of the ISA European Patent Office, P.B. 5618 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 apo nl, Fax: (+31-70) 340-3016		Authorized officer Gastaldi, G

Form PCT/ISA210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No.

PC1/GB 99/01748

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 3347335 A	17-10-1967	NONE	
WO 9709842 A	13-03-1997	AT 177579 T	15-03-1999
		AT 177574 T	15-03-1999
		AT 177580 T	15-03-1999
		AT 177575 T	15-03-1999
		AT 177581 T	15-03-1999
		AT 177582 T	15-03-1999
		AT 177583 T	15-03-1999
		AT 177578 T	15-03-1999
		AT 177576 T	15-03-1999
		AT 179297 T	15-05-1999
		AT 177577 T	15-03-1999
		AT 179563 T	15-05-1999
		AT 176826 T	15-03-1999
		AT 179045 T	15-04-1999
		AT 179296 T	15-05-1999
		AT 177281 T	15-03-1999
		AT 179564 T	15-05-1999
		AT 177282 T	15-03-1999
		AT 179043 T	15-04-1999
		AT 179044 T	15-04-1999
		AU 702865 B	11-03-1999
		AU 6880196 A	27-03-1997
		AU 702920 B	11-03-1999
		AU 6880296 A	27-03-1997
		AU 702867 B	11-03-1999
		AU 6880396 A	27-03-1997
		AU 703015 B	11-03-1999
		AU 6880496 A	27-03-1997
		AU 702863 B	11-03-1999
		AU 6880596 A	27-03-1997
		AU 702873 B	11-03-1999
		AU 6880696 A	27-03-1997
		AU 702999 B	11-03-1999
		AU 6880796 A	27-03-1997
		AU 703061 B	11-03-1999
		AU 6880896 A	27-03-1997
		AU 703000 B	11-03-1999
		AU 6880996 A	27-03-1997
		AU 703071 B	11-03-1999
		AU 6881096 A	27-03-1997
		AU 703058 B	11-03-1999
		AU 6881296 A	27-03-1997
		AU 705592 B	27-05-1999
		AU 6881396 A	27-03-1997
		AU 703296 B	25-03-1999
		AU 6881496 A	27-03-1997
		AU 699890 B	17-12-1998
		AU 6881596 A	27-03-1997
		AU 703198 B	18-03-1999
		AU 6881696 A	27-03-1997
WO 9203024 A	20-02-1992	GB 2246684 A	05-02-1992
		AT 117155 T	15-01-1995
		DE 69106712 D	23-02-1995
		DE 69106712 T	08-06-1995
		DK 541646 T	20-03-1995

Form PC1/ISA210 (patent family annex) (July 1992)

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No.

PCT/GB 99/01748

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9203024 A		EP 0541646 A	19-05-1993
		GB 2262861 A,B	30-06-1993
		HK 1000544 A	03-04-1998
		JP 5509211 T	16-12-1993
US 3247925 A	26-04-1966	GB 1013643 A	

Form PCT/ISA210 (patent family annex) (July 1992)

page 2 of 2